

Fourier Mukai And Nahm Transforms In Geometry And Mathematical Physics

Fourier Mukai And Nahm Transforms In Geometry And Mathematical Physics

Summary:

Fourier Mukai And Nahm Transforms In Geometry And Mathematical Physics Pdf Download File added by Matthew Hilton on November 15 2018. It is a ebook of Fourier Mukai And Nahm Transforms In Geometry And Mathematical Physics that visitor can be safe this by your self on refreshglasgow.org. Just info, this site dont store file download Fourier Mukai And Nahm Transforms In Geometry And Mathematical Physics on refreshglasgow.org, it's just ebook generator result for the preview.

Fourier-Mukai transform - Wikipedia In algebraic geometry, a Fourier-Mukai transform \hat{K} is a functor between derived categories of coherent sheaves $D(X) \rightarrow D(Y)$ for schemes X and Y , which is, in a sense, an integral transform along a kernel object $K \in D(X \times Y)$. **FOURIER-MUKAI PARTNERS OF SURFACES IN POSITIVE CHARACTERISTIC** **FOURIER-MUKAI PARTNERS OF K3 SURFACES IN POSITIVE CHARACTERISTIC** **MAX LIEBLICH AND MARTIN OLSSON** CONTENTS 1. Introduction 1 2. Mukai motive 3 3. Kernels of Fourier-Mukai equivalences 9. Fourier-Mukai transforms for quotient varieties ... A Fourier-Mukai (FM) transform is an exact equivalence $\hat{K} : D(Y) \rightarrow D(X)$ between the bounded derived categories of coherent sheaves on two smooth projective varieties X and Y .

Fourier-Mukai Transforms arXiv:math/0402043v2 [math.AG] 18 ... Fourier-transform and is therefore called a Fourier-Mukai transform. In [7] Beilinson showed that P_n is derived equivalent to a (non-commutative) finite dimensional algebra. big picture - Heuristic behind the Fourier-Mukai transform ... The Fourier-Mukai transform in algebraic geometry gets its name because it at least superficially resembles the classical Fourier transform. (And of course because it was studied by Mukai.) Let me give a rough picture of the Fourier-Mukai transform and how it resembles the classical situation. Fourier-Mukai transform and index theory | SpringerLink Abstract. Given a submersive morphism of complex manifolds $f: X \rightarrow Y$, and a complex vector bundle E on X , there is a relationship between the higher direct images of $\hat{K} \mu$ (the sheaf of holomorphic sections of E) and the index of the relative Dolbeault complex twisted by E . This relationship allows one to yield a global and simple proof of the equivalence between the Mukai transform of stable vector.

Fourier Mukai transforms and applications to string theory Fourier-Mukai and string theory explicit description of stable holomorphic vector bundles was required and inspired the seminal work of Friedman, Morgan and Witten [58, 59, 61]. Fourier-Mukai transforms - University of Bonn Basics Fourier-Mukai transform Compositions Fully faithful Equivalences Spherical twists $X, X_0 =$ smooth projective varieties $/C$ and $E \in \text{Db}(X \times Y)$. The Fourier-Mukai transform $\hat{K} : E$ with Fourier-Mukai kernel E is the composition p . Fourier-Mukai duality for K3 surfaces via Bridgeland ... Fourier-Mukai duality is a duality between a variety X and a moduli space of stable sheaves on X , which is a generalization of the duality between an abelian variety X and its dual abelian variety $\text{Pic}^0(X)$. In this article, we shall explain Fourier-Mukai duality for a K3 surface by using Bridgeland stability condition.

FOURIER-MUKAI PARTNERS OF K3 SURFACES IN POSITIVE ... fourier-mukai partners of k3 surfaces in positive characteristic 3 of the appendix is Theorem A.1 concerning the Picard group of the general deformation of a fixed K3 surface from characteristic p to characteristic 0.

fourier mukai transform